

2003 Dodge Ram Van  
AB2L12 2500 127" WB

No Picture Available for this vehicle

VEHICLE SUMMARY

Effective Date: 10/1/02

SELECTED OPTIONS  
CODE DESCRIPTION

___	NATIONAL REGION
___	NATIONAL DESTINATION CHARGE ADJUSTMENT
NAS	50 STATE EMISSIONS
ELN	5.2L (318) MPI V8 COMPRESSED NATURAL GAS ENGINE -inc: CNG fuel system badge, CNG fuel tanks, inside-mount spare tire
DGT	4-SPEED AUTOMATIC TRANSMISSION W/OD (N/A w/EHC Engine)
2X_	POWERTRAIN -inc: 5.2L CNG V8 engine, 4-speed auto trans
2_C	COMMERCIAL QUICK-ORDER PKG -inc: base vehicle only
Z2F	7800# GVWR (4000 front/4670 rear), axles (4000 front/5740 rear) (STD)
___	ANTI-SPIN DIFFERENTIAL NOT DESIRED (N/A w/DMF 4.10 Axle Ratio)
DMH	3.92 AXLE RATIO (N/A w/DSA Differential)
TWZ	(5) LT225/75R16D ALL-SEASON SBR BSW TIRES (STD)
___	DUAL RH SIDE HINGED CARGO DOORS (STD)
___	DUAL HD VINYL FRONT BUCKET SEATS
HD_	HD VINYL SEAT TRIM (STD)
P_	MONOTONE PAINT (STD)
HAA	AIR CONDITIONING
___	AIR CONDITIONING BONUS SAVINGS *DISCOUNT*
GHB	WINDOW GROUP (STD) -inc: fixed rear door glass
BGK	4-WHEEL ANTI-LOCK BRAKING SYSTEM

Color Selections

	Description	Code
Exterior#1	Black	X9
Exterior#2		

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096

SECTION 1 (PRICE LINE 1)                      CONTRACT PRICE: \$17,617.00

CONTRACT: A53312                                CONTRACTOR: HERTRICH FLEET SERVICES

CODE DESCRIPTION		
Interior	Dark Slate Gray	DV
	<b>Description</b>	<b>Code</b>
Exterior#1	Black	X9
Exterior#2		
Interior	Sandstone	T5
	<b>Description</b>	<b>Code</b>
Exterior#1	Bright White	W6
Exterior#2		
Interior	Dark Slate Gray	DV
	<b>Description</b>	<b>Code</b>
Exterior#1	Bright White	W6
Exterior#2		
Interior	Sandstone	T5
	<b>Description</b>	<b>Code</b>
Exterior#1	Colorado Red	E1
Exterior#2		
Interior	Dark Slate Gray	DV
	<b>Description</b>	<b>Code</b>
Exterior#1	Colorado Red	E1
Exterior#2		
Interior	Sandstone	T5
	<b>Description</b>	<b>Code</b>
Exterior#1	Dark Spruce Metallic	PG
Exterior#2		
Interior	Dark Slate Gray	DV
	<b>Description</b>	<b>Code</b>
Exterior#1	Dark Spruce Metallic	PG
Exterior#2		
Interior	Sandstone	T5
	<b>Description</b>	<b>Code</b>
Exterior#1	Director Red Metallic	R8
Exterior#2		
Interior	Dark Slate Gray	DV
	<b>Description</b>	<b>Code</b>

CODE	DESCRIPTION	
Exterior#1	Director Red Metallic	R8
Exterior#2		
Interior	Sandstone	T5
	Description	Code
Exterior#1	Hunter Green Metallic	G4
Exterior#2		
Interior	Dark Slate Gray	DV
	Description	Code
Exterior#1	Hunter Green Metallic	G4
Exterior#2		
Interior	Sandstone	T5
	Description	Code
Exterior#1	Light Arctic Gray	SC
Exterior#2		
Interior	Dark Slate Gray	DV
	Description	Code
Exterior#1	Medium Red Metallic	MD
Exterior#2		
Interior	Dark Slate Gray	DV
	Description	Code
Exterior#1	Medium Red Metallic	MD
Exterior#2		
Interior	Sandstone	T5

STANDARD EQUIPMENT

MECHANICAL

- 5.2L (318) MPI V8 "Magnum" engine
- 4-speed automatic transmission w/OD
- 3.92 axle ratio
- Rear wheel drive
- 600-CCA maintenance-free battery
- 117-amp alternator
- 127.6" wheelbase
- 7800# GVWR, axles (4000 front/5740 rear)
- HD front/rear shock absorbers
- Front stabilizer bar

**MECHANICAL**

LT225/75R16D all-season SBR BSW tires

16" x 6.5" steel wheels

Full-size spare tire w/winch carrier

Pwr rack & pinion steering

Pwr front disc/rear drum brakes

Rear wheel anti-lock brake system

35 gallon fuel tank

Scissor-type jack

**EXTERIOR**

Front/rear painted bumpers

Lower body-side/rear quarter tape stripe

Halogen headlamps

Dual black manual 6" x 9" mirrors

Fixed rear door glass

Tinted glass

Variable intermittent windshield wipers

RH side & rear hinged cargo doors

**INTERIOR**

Dual HD vinyl front bucket seats

Front storage console

Black vinyl floor covering

Oil pressure gauge

Low washer fluid warning signal

Warning buzzers-inc: key-in-ignition, fasten seat belts

Electronic AM/FM stereo radio/cassette-inc: (6) speakers

Cigar lighter

Lower instrument panel skirts

Color-keyed front compartment garnish

Passenger assist handle

Front door trim panels

Door sill scuff pads

Vinyl sunvisors

Cargo compartment lamp

**EPA FUEL ECONOMY RATINGS**

City 13/hwy 15 (5.2L engine/4-speed auto trans) \*Estimate\*

City 12/hwy 17 (5.9L engine/4-speed auto trans) \*Estimate\*

City 13/hwy 15 (5.2L CNG engine/4-speed auto trans) \*Estimate\*

**SAFETY**

Rear wheel anti-lock brake system

Driver & front passenger next generation airbags

Child seat upper tether anchorage

COLOR CHART

Exterior Colors	Interior Colors	
	Dark Slate Gray	Sandstone
Black	X	X
Bright White	X	X
Colorado Red	X	X
Dark Spruce Metallic	X	X
Director Red Metallic	X	X
Hunter Green Metallic	X	X
Light Arctic Gray	X	
Medium Red Metallic	X	X

WARRANTY

<<< PRELIMINARY 2003 WARRANTY >>>  
Basic: 3 Years/36,000 Miles  
Drivetrain: 7 Years/70,000 Miles  
Corrosion: 5 Years/100,000 Miles  
Roadside Assistance: 3 Years/36,000 Miles

POWERTRAIN - BASIC SPECIFICATIONS

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

ENGINE

Engine Order Code	* ELN
Engine Type	Gas V8
Displacement	5.2L/318 CID
Fuel System	(MPI)
SAE Net Horsepower @ RPM	225 @ 4400
SAE Net Torque @ RPM	295 @ 3200

TRANSMISSION

Trans Order Code	(DGT)
Trans Type	4-Speed HD Automatic w/OD
Drivetrain	Rear Wheel Drive

MILEAGE

	City	Hwy
EPA Fuel Economy Est (MPG)	* 12.00 (Est)	* 15.00 (Est)
Cruising Range (mi)	* - TBD -	* - TBD -

POWERTRAIN - ADVANCED SPECIFICATIONS

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

**TRANSMISSION**

Gear Ratio (:1)	
First Gear Ratio (:1)	2.45
Second Gear Ratio (:1)	1.45
Third Gear Ratio (:1)	1.00
Fourth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	2.20
Clutch Size (in)	
Trans Power Take Off	

**TRANSFER CASE**

Transfer Case Model	
Gear Ratio (:1)	
Transfer Case Gear Ratio (:1), High	
Transfer Case Gear Ratio (:1), Low	
Transfer Case Power Take Off	

**DIFFERENTIAL****Front****Rear**

Final Drive Axle Ratio (:1)		3.92
-----------------------------	--	------

**ELECTRICAL**

Battery	1	2
Maximum Capacity @ 0° F	600.00	
Alternator		
Maximum Alternator Capacity (amps)	117.00	

**COOLING SYSTEM**

Total Cooling System Capacity (qts)	* 13.10
Engine Oil Cooler	

**PAYLOAD/TRAILERING SPECIFICATIONS**

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

**WEIGHT INFORMATION****Front****Rear**

Gross Axle Weight Rating (lbs)	3,850.00	5,740.00
Curb Weight (lbs)	2,861.00	1,828.00
Total Option Weight (lbs)	* 82.00	* -3.00
Reserve Axle Capacity (lbs)		
Gross Vehicle Weight Rating (lbs)		
As Spec'd Curb Weight (lbs)		
As Spec'd Payload (lbs)		
Gross Combined Wt Rating (lbs)		

**TRAILERING****Max Trailer Wt.****Max Tongue Load**

Dead Weight Hitch (lbs)	* 2,000.00	* 200.00
-------------------------	------------	----------

TRAILERING	Max Trailer Wt.	Max Tongue Load
Weight Distributing Hitch (lbs)	* 7,432.00	* 800.00
Fifth Wheel Hitch (lbs)		*

## DIMENSION SPECIFICATIONS

### EXTERIOR DIMENSIONS

Wheelbase (in)	127.20
Width, Max w/o mirrors (in)	78.80
Height, Overall (in)	80.80
Overhang	
Overhang, Front (in)	38.30
Overhang, Rear w/o bumper (in)	
Ground to Top of Load Floor (in)	27.20
Ground Clearance	
Ground Clearance, Front (in)	11.20
Ground Clearance, Rear (in)	7.40
Rear Door	
Side Door	

### CARGO AREA DIMENSIONS

Length @ Floor	
Width	
Cargo Box Width @ Wheelhousings (in)	50.00
Cargo Box (Area) Height (in)	53.00
Cargo Volume (ft³)	238.90

### INTERIOR DIMENSIONS

Passenger Capacity	2.00
Seating Position	Front
Head Room (in)	38.90
Leg Room (in)	39.00
Shoulder Room (in)	68.00
Hip Room (in)	66.00

## CHASSIS SPECIFICATIONS

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

SUSPENSION	Front	Rear
Spring		
Spring Type	Coil	Multi-Leaf
Spring Capacity (lbs)	Computer Selected	4,670.00

<b>SUSPENSION</b>	<b>Front</b>	<b>Rear</b>	
Axle			
Axle Type	Independent	Semi-Floating	
Axle Capacity (lbs)	4,000.00	5,740.00	
Shock Absorber Diameter (mm)	25.40	25.40	
Stabilizer Bar Diameter (in)			
<b>BRAKES</b>			
Brake Type	Power		
Brake ABS System	* 4-Wheel		
	<b>Front</b>	<b>Rear</b>	
Disc	Yes		
Rotor Diam x Thickness (in)	12.82 x 1.25		
Drum		Yes	
Drum Diam x Width (in)		11.0 x 2.25	
<b>TIRES</b>	<b>Front</b>	<b>Rear</b>	<b>Spare</b>
Tire Order Code	TWZ	TWZ	TWZ
Tire Size	LT225/75R16D	LT225/75R16D	LT225/75R16D
Capacity (lbs)	- TBD -	- TBD -	- TBD -
Revolutions/Mile @ 45mph	- TBD -	- TBD -	- TBD -
<b>WHEELS</b>	<b>Front</b>	<b>Rear</b>	<b>Spare</b>
Wheel Size (in)	16 x 6.5	16 x 6.5	16 x 6.5
Wheel Type	Steel	Steel	Steel
<b>STEERING</b>			
Steering Type	Power Rack & Pinion		
Ratio (:1)			
Steering Ratio (:1), On Center	- TBD -		
Steering Ratio (:1), At Lock	- TBD -		
Turning Diameter (ft)			
Turning Diameter - Curb to Curb (ft)	46.20		
Turning Diameter - Wall to Wall (ft)	- TBD -		
<b>FUEL TANK</b>	<b>Main</b>	<b>Auxiliary</b>	
Fuel Tank Capacity, Approx (gal)	* - TBD -	- TBD -	
Fuel Tank Location	- TBD -		

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096  
SECTION 1 (PRICE LINE 1) CONTRACT PRICE: \$17,617.00  
CONTRACT: A53312 CONTRACTOR: HERTRICH FLEET SERVICES